

The Genuine Custom Made Garage Door Professionals

Flush Mounted Doors



Custom Made Garage Doors are again leading the market in Christchurch and Nationwide with its Flush Mounted Garage Doors.

The Flush Mounted Garage Door blends

The Flush Mounted Garage Door blends in with the exterior cladding of the architecturally designed home giving it a clean appearance.


The Garage Door can be clad in contrasting material to match the house whether it be Cedar, Alucobond, Flat Panel, Negative Detail or any other material.

The Flush Mount finish can be flush between Garage Doors, above the doors and at the sides.

We will work in with the architects on their requirements







© COPY RIGHTED

The drawing shows the cladding on the building protruding down past the steel angle and cavity batten by about 35mm creating a cavity void allowing the door to operate without any interference with the steel angle.

The gap between the door and cladding on the wall is recommended 5mm-10mm. Both are cut on a 30 degree angle to allow room for the door to pull back.



Side Jamb Detail

Selected cladding system on cavity to door. Selected cladding system on cavity 125 x 75 x 6mm steel angle 8-10mm Gap Exterior Cavity batten Cavity batten on door Interior Line of rebate below 4mm Mohair seal Door frame Timber frame Internal lining finishing edge detail to be discussed with designer / builder

© COPY RIGHTED

The drawing shows the wall and door in the same line. If you require a Flush Mount look only at the head then the side details would change.

There are variable options in the side details depending on design.

Please contact Custom Made Garage Doors for these details.

Steel Lintel & Jambs 200-250 x 100 x 6mm Angle 125 x 75 x 6mm Angle Rebate Line © COPY RIGHTED

Custom Made Garage Doors Ltd

Factory and Office: 276 Larcombs Road Weedons, Christchurch Phone 03 347 8333 Fax 03 347 8363 Email info@custommade.co.nz www.custommade.co.nz

